

Luciferase Firefly

Description: Luciferase produced in E.Coli is a single, non-glycosylated polypeptide chain containing 571 amino acids (1-550 a.a.) and having a molecular mass of 62.9kDa. Luciferase is fused to a 21 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques.

Catalog #: ENPS-560

For research use only.

Synonyms: Luciferase-like monooxygenase, LUC, EC 1.13.12.7.

Source: Escherichia Coli.

Physical Appearance: Sterile filtered colorless solution.

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MMEDAKNIKK GPAPFYPLED
GTAGEQLHKA MKRYALVPGT IAFTDAHIEV DITYAEYFEM SVRLAEAMKRYGLNTNHRIV
VCSENSLQFF MPVLGALFIG VAVAPANDIY NERELNSMG ISQPTVVVFS KKGLQKILNV
QKKLPPIQKI IIMDSKTDYQGFQSMYTFVT SHLPPGFNEY DFVPESFDRD KTIALIMNSS
GSTGLPKGVA LPHR

Purity: Greater than 90.0% as determined by SDS-PAGE.

Formulation:

The Luciferase protein solution (1mg/ml) contains 20mM Tris-HCl buffer (pH-8), 1mM DTT, and 10% glycerol.

Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

Usage:

NeoBiolabs products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

Luciferase is a general term for the class of oxidative enzymes used in bioluminescence and is distinct from a photoprotein. Luciferase catalyzes a bioluminescent reaction which involves the substrate luciferin as well as Mg²⁺ and ATP, produces green light with a wavelength of 562 nm. Luciferase from firefly is broadly used as a reporter for studying gene regulation and function, and for pharmaceutical screening.

To place an order, please [Click HERE](#).