www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

# PRKCE Human

Description: PRKCE Human Recombinant produced in Sf9 is a glycosylated, polypeptide chain containing amino acids 2-737 and having a molecular mass of 87 KD. This protein is the full-length form of the protein with an amino terminal poly His-tag.PRKCE is purified by proprietary chromatographic techniques.

Catalog #:PKPS-329

For research use only.

Synonyms: Protein kinase C epsilon type, EC 2.7.11.13, nPKC-epsilon, PRKCE, PKCE, MGC125656, MGC125657.

Source:Sf9 insect cells.

Physical Appearance: Sterile Filtered clear solution.

Purity: Greater than 90% as determined by SDS-PAGE.

### Formulation:

PRKCE is supplied in 20mM Tris, pH 7.4, 0.1M NaCl, 20% glycerol, 1mM DTT, 0.1mM EDTA, 0.2mM PMSF, 1mM benzamidine and 0.03% Brij-35.

## Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

## Introduction:

Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play a distinct role in cells. The protein encoded by this gene is one of the PKC family members. This kinase has been shown to be involved in many different cellular functions, such as neuron channel activation, apoptosis, cardioprotection from ischemia, heat shock response, as well as insulin exocytosis. Knockout studies in mice suggest that this kinase is important for lipopolysaccharide (LPS)-mediated signaling in activated macrophages and may also play a role in controlling anxiety-like behavior.

# Storage:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. Avoid multiple freeze-thaw cycles.

To place an order, please Click HERE.





