www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

# **ABI3 Human**

Description: ABI3 Human Recombinant produced in E. coli is a single polypeptide chain containing 389 amino acids (1-366) and having a molecular mass of 41.4 kDa.ABI3 is fused to a 23 amino acid His-tag at N-terminus & Durified by proprietary chromatographic techniques.

Synonyms: ABI Family Member 3, ABI Gene Family Member 3, New Molecule Including SH3, SSH3BP3, NESH.

For research use only.

Catalog #:PRPS-1234

Source: E.coli.

Physical Appearance: Sterile Filtered colorless solution.

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSMAELQQL QEFEIPTGRE ALRGNHSALL RVADYCEDNY VQATDKRKAL EETMAFTTQA LASVAYQVGN LAGHTLRMLD LQGAALRQVE ARVSTLGQMV NMHMEKVARR EIGTLATVQR LPPGQKVIAP ENLPPLTPYC RRPLNFGCLD DIGHGIKDLS TQLSRTGTLS RKSIKAPATP ASATLGRPPR IPEPVHLPVV PDGRLSAASS AS

Purity: Greater than 85% as determined by SDS-PAGE.

#### Formulation:

The ABI3 solution contains 20mM Tris-HCl buffer (pH 8.0), 0.4M Urea and 10% glycerol.

#### Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

## Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

### Introduction:

ABI gene family member 3 (ABI3) is a member of the ABI family. Members of the ABI family encode proteins which contain a homeobox homology domain, proline rich region and Src-homology 3 (SH3) domain. Abi family members are assumed to negatively regulate cell growth and transformation, including cellular transformation through v-Abl as well controlling as mediate cell motility by regulating actin polymerization in lamellipodia and filopodia. ABI3 impedes ectopic metastasis of tumor cells as well as cell migration, which is accomplished through interaction with p21-activated kinase.

To place an order, please Click HERE.





